



## PRODUCT SPECIFICATIONS DOMO CHAMPION ASCARI SPRO 25 NF

Applications	Football, Indoor soccer, Multisport	
Fibre	Polyethylene / UV-Stabilized / Straight/curled 100% Monofilament / 16.000 dtex ca. 300 $\mu$ m thickness	
Production Method	Linear Tufting	
Gauge	5/16"	
# stitches / lm	220 / lm	$\pm 10\%$
# tufts / m <sup>2</sup>	27.720 / m <sup>2</sup>	$\pm 10\%$
# filaments / m <sup>2</sup>	776.160 / m <sup>2</sup>	$\pm 10\%$
Pile Height	25 mm	$\pm 5\%$
Pile Weight	2.800 gr / m <sup>2</sup>	$\pm 10\%$
Total Height	27 mm	$\pm 5\%$
Total Weight	4.100 gr / m <sup>2</sup>	$\pm 10\%$
Tuft Cloth	Polypropylene, UV-Stabilized, with incorporated glass fibre fabric reinforcement, 300 gr / m <sup>2</sup>	$\pm 5\%$
Backing	Latex, 1.000 gr / m <sup>2</sup>	$\pm 10\%$
Infill	None required. Optional for extra stability and grip.	
Roll Width	400 cm	
Roll Length	According to Layout Plan	
Colour	Green	
Colour Lines	White (straight yarn= white and curled yarn is the same as the green colour)	
Colour Fastness	Scale 7 (DIN 54004)	
UV-Stability	> 3.000 hours UV-A	
Water Permeability	$6 \cdot 10^{-4}$ m/sec	
Pile Anchorage	> 30 N	
Chlore Resistance	4 – 5 (DIN 54019)	
Resistance to sea water	4 – 5 (DIN 54007)	

Sports and Leisure Group NV reserves the right to amend technical specifications on the above mentioned product. Delivered products can slightly differ from these technical data. Sports and Leisure Group NV guarantees the technical quality of the proposed article.



A POWERFUL EXPERIENCE

DOMO® SPORTS GRASS IS A BRAND OF SPORTS & LEISURE GROUP NV

Industriepark-West 43 | B - 9100 Sint-Niklaas F | +32 (0)3 780 45 73 | T +32 (0)3 780 45 75 | domosportsgrass.com